


Site Assessment Forms

Sutton



Contents

ALP4443
NLP3254
NLP34012

DRAFT

Site Assessment Framework for HOUSING¹

Site details	
Reference Number	ALP444
Site Name	Formerly Simply Oak, Potton Road
Site Address	Potton Road
Settlement	Sutton
Size	Submitted Developable Area:1ha Submitted Whole Site Area: 1ha Measured GIS Area:1ha
Proposed Use	Education
Any other information	

STAGE 1 : SUITABILITY AND AVAILABILITY (EXCLUSIONARY STAGE)

This section will exclude any sites which do not pass the exclusionary suitability criteria and they will not be assessed further.

STAGE 1A ASSESSMENT

This stage of the assessment rules out sites that are too small or conflict with national policy designations.

Provisional Site Capacity

1	Is the site likely to accommodate less than 10 dwellings? Work out the number of new homes from site size using density of 30dph and exclude up to 40 % depending on site size of land for infrastructure and services, take into account topography or significant areas of undevelopable land. Site Size Gross to net ratio standards <ul style="list-style-type: none"> Up to 0.4 hectare 100% 0.4 to 2 hectares 80% 2 hectares or above 60% <i>Note: for this calculation use the submitted Developable Area, or the area measured in GIS if this is smaller.</i>	Yes	Number of proposed dwellings as per proforma: Proposed for education
			Number of proposed dwellings as per CBC methodology:

Flood Risk (All sites which reach Stage 2 will be subject to the Sequential Test)

2	Is more than 50% of the site located in Flood Zone 2 or 3?	Yes / No	All sites to be assessed by SFRA Consultants
3	Is more than 50% of the site at risk from surface water flooding?	Yes / No	All sites to be assessed by SFRA Consultants

Nationally significant designations (All sites which reach Stage 2 be subject to detailed assessment)

4	Is more than 50% of the site covered by nationally significant designations? These are: Sites of Special Scientific Interest, National Nature Reserves, Scheduled Monuments, Registered Parks and Gardens.	Yes / No	Details on designations and coverage
5	Is more than 50% of the site located within the Area of Outstanding Natural Beauty?	Yes/ No	Details on coverage
Does the site continue to next stage?			No

¹ Employment sites and Gypsy and Traveller sites will be assessed using separate bespoke site assessment criteria.

Site Assessment Framework for HOUSING²

Site details	
Reference Number	NLP325
Site Name	Land South of High Street, Sutton
Site Address	Land South of High Street, Sutton
Settlement	Sutton
Size	Submitted Developable Area: 1 ha Submitted Whole Site Area: 1 ha Measured GIS Area: 2.04ha
Proposed Use	Residential
Any other information	Substantial open space/landscaping proposed to the south, partly forms part of larger site NLP433 (last east of Biggleswade)

STAGE 1 : SUITABILITY AND AVAILABILITY (EXCLUSIONARY STAGE)

This section will exclude any sites which do not pass the exclusionary suitability criteria and they will not be assessed further.

STAGE 1A ASSESSMENT

This stage of the assessment rules out sites that are too small or conflict with national policy designations.

Provisional Site Capacity

1	Is the site likely to accommodate less than 10 dwellings? Work out the number of new homes from site size using density of 30dph and exclude up to 40 % depending on site size of land for infrastructure and services, take into account topography or significant areas of undevelopable land. Site Size Gross to net ratio standards <ul style="list-style-type: none"> Up to 0.4 hectare 100% 0.4 to 2 hectares 80% 2 hectares or above 60% <i>Note: for this calculation use the submitted Developable Area, or the area measured in GIS if this is smaller.</i>	No	Number of proposed dwellings as per proforma: 20
			Number of proposed dwellings as per CBC methodology: 24

Flood Risk (All sites which reach Stage 2 will be subject to the Sequential Test)

2	Is more than 50% of the site located in Flood Zone 2 or 3?	No	Not in Flood Zone 2
3	Is more than 50% of the site at risk from surface water flooding?	No	Not at risk from surface water flooding

Nationally significant designations (All sites which reach Stage 2 be subject to detailed assessment)

4	Is more than 50% of the site covered by nationally significant designations? These are: Sites of Special Scientific Interest, National Nature Reserves, Scheduled Monuments, Registered Parks and Gardens.	No	No nationally significant designations
5	Is more than 50% of the site located within the Area of Outstanding Natural Beauty?	No	Not within AONB
Does the site continue to next stage?			Yes

² Employment sites and Gypsy and Traveller sites will be assessed using separate bespoke site assessment criteria.

STAGE 1B ASSESSMENT

This stage of the assessment rules out sites that are not well related to existing settlements but are of an insufficient size to be self contained. It also rules out sites which would cause coalescence of existing towns or villages. For the purposes of this assessment, a self-contained site is defined as a site which will provide 1,500 homes or more³.

Relationship to Settlement

6	For sites that are not of a sufficient scale to be self-contained, is the site a logical extension to the settlement or are there any major physical constraints (for example A roads, rivers or railways) that separate it from the main settlement?	G	This development has a frontage and would continue the linear pattern of development of Sutton
7	Does the site cause coalescence between an existing village or town and another existing village or town? If yes, then grade as Amber if the site would be able to provide appropriate buffers or green wedges to mitigate this, or Red if it would not be possible for appropriate buffers to be provided leaving a reasonable developable area based on the individual context of the site.	G	No
Does the site continue to next stage?			Yes

STAGE 1C ASSESSMENT

This stage of the assessment rules out sites that are not able to meet their critical infrastructure needs⁴.

Critical Infrastructure

8	Can the site meet the critical infrastructure requirements that will enable delivery ⁵ ?	G	None required
Does the site continue to next stage?			Yes

STAGE 1D ASSESSMENT

This stage of the assessment rules out sites that are not available. A site is considered available for development where there are no legal or ownership problems and the landowner has expressed an intention to develop the site.

Availability

9	What is the existing use of the site? Would the existing use limit the development potential?	G	Agricultural land The existing use would not limit the development potential of the site
10	Is the land controlled by a developer or land owner who has expressed an intention to develop the site?	G	Sole landowner
11	Are there any legal or ownership problems that could delay or prevent development? If Yes, then can these be issues be realistically overcome?	G	None
12	Does the site already have planning permission for the proposed use? If yes, then score as Red because it's not eligible for allocation.	G	No

³ The figure of 1,500 homes has been taken from the Government Publication 'Locally-Led Garden Villages, Towns and Cities'. This defines the eligibility criteria for Garden Villages as standalone settlements of between 1,500 and 10,000 homes. (see https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/508205/Locally-led_garden_villages_towns_and_cities.pdf)

⁴ Critical infrastructure is that which has been identified as infrastructure that must happen to enable physical development. These infrastructure items are often known as 'blockers' or 'showstoppers', and are most common in relation to transport and utilities infrastructure. Failure to provide these pieces of infrastructure could result in significant delays in the delivery of development.

⁵ This is an assessment based on the information known at this stage, a full assessment of infrastructure requirements will be undertaken before any sites are allocated.

Does the site continue to next stage?	Yes
---------------------------------------	-----

STAGE 1E ASSESSMENT

This section records the findings of the Strategic Green Belt Review and also provides a preliminary screening of sites to determine whether they may be capable of demonstrating Exceptional Circumstances. Any site in the Green Belt that is determined as suitable based on the high level SHLAA assessment would still have to demonstrate Exceptional Circumstances to be considered for allocation in the Plan.

Greenbelt

13	Is the site located within the Green Belt?	No	Not in green belt
14	If answer to question 13 is yes, then does the site lie within one of the parcels which have been identified in the Central Bedfordshire and Luton Green Belt Study as making only a relatively weak, weak, or no contribution? If yes, site progresses through to Stage 2.	Yes or No	Details
15a	Does the site have all of the following merits that may outweigh the harm to the Green Belt and which may contribute to identification of exceptional circumstances? <ul style="list-style-type: none"> • Adjoining settlement has at least 3 of the following key local services - convenience shop, lower school, middle school, upper school, village hall, GP surgery, post office, library (use settlement audit) • Site makes a strong contribution to housing need (100 plus homes) within the Luton HMA • Site is in or directly adjacent to a settlement that has a mainline rail station or direct access (junction) to the strategic road network (A road or motorway) Sites in Green Belt other than those covered by 14 and 15b that cannot meet these criteria, will not progress any further in this assessment of suitability.*	Yes or No	Details
15b	Sites which have support from the local community as demonstrated through an allocation in an adopted or draft Neighbourhood Plan (that has been subject to Regulation 14 consultation) that do not meet the criteria in question 15a will automatically progress through this stage to be considered further at Stage 2. ⁶	Yes/ No/ N/A	Details
Does the site continue to next stage?			Yes

STAGE 2 : SUITABILITY (DETAILED ASSESSMENT)

STAGE 2 ASSESSMENT

This stage further assesses the site's suitability using detailed desktop assessment. A red rating for any question does not mean that the site will be automatically excluded at this stage as the ratings across Stage 2A will be looked at as a whole using planning balance.

Previously Developed Land

16	Is the site Previously Developed Land in accordance with the NPPF definition? <ul style="list-style-type: none"> • 76% - 100% (G) 	R	The site is 100% greenfield
-----------	--	---	-----------------------------

⁶ Draft Neighbourhood Plan allocations in Green Belt that are proposed after this site assessment phase has concluded, may still be considered for allocation.

	<ul style="list-style-type: none"> • 26 - 75% (A) • 25% - 0% (Greenfield) (R) 		
Community			
17	Neighbourhood Planning (only applicable in designated areas) Is the site identified as a housing allocation in an emerging Neighbourhood Plan?	No	No Neighbourhood Plan
18	Community Consultation Has any community consultation taken place? If yes, provide brief details on the form this consultation took and any overall community response.	No	No known community consultation
19	Sustainability of Settlement Would this proposal impact on the sustainability of the settlement through the loss of services and facilities (for example, employment, retail, public house etc)	No	No impact on sustainability of settlement
Cumulative Impact			
20	Considering housing completions over the past 10 years, what has been the level of housing growth in the parish? <ul style="list-style-type: none"> • Less than 5% growth (G) • 5% to 20% growth (A) • More than 20% growth (R) <i>This is calculated by working out the total number of completions over the last ten years as a percentage of the dwellings in April 2006 (as calculated using census and completions data).</i>	G	0.61%
21	What level of housing growth would there be if all the outstanding permissions (as of April 2016) were to be completed? <ul style="list-style-type: none"> • Less than 5% growth (G) • 5% to 20% growth (A) • More than 20% growth (R) <i>This is calculated by working out the total number of outstanding permissions as of April 1st 2016 as percentage of the total number of dwellings in April 2016 (as calculated using census and completions data).</i>	G	0.61%
Physical Constraints			
22	Are there any physical constraints or permanent features that affect the site's developability? For example pylons, gas works, sewage treatment works, topography or wind turbines.	G	None
Relationship to Settlement			
23	Would development of the site be complementary to the existing settlement pattern, and would it have an adverse impact on any historic, unique or distinctive characteristics of the settlement's built or natural form?	G	This development has the potential to complement the linear pattern of development of Sutton.
Agricultural Land Quality			

STAGE 2 ASSESSMENT

This stage further assesses the site's suitability using comments from technical specialists. A red rating for any question does not mean that the site will be automatically excluded at this stage as the ratings across Stage 2B will be looked at as a whole using planning balance.

Transport and Access to Services			
25	Facilities and services Question 26 considers the suitability and sustainability of the site for housing. It links to the Council's Settlement Hierarchy Audit. Issues relating to capacity are assessed separately		
25a	Does the settlement have a Primary/Lower school? <ul style="list-style-type: none"> • Yes, in the settlement (G) • Yes, proposed as part of the development (G) • No, but an adjoining settlement does (A) • Not in the settlement or an adjoining settlement (R) 	G	In settlement
25b	Does the settlement have a Middle school (if applicable)? <ul style="list-style-type: none"> • Yes, in the settlement (G) • Yes, proposed as part of the development (G) • No, but an adjoining settlement does (A) • Other catchment school available (A) 	A	Adjoining settlement
25c	Does the settlement have a Secondary/ Upper school? <ul style="list-style-type: none"> • Yes, in the settlement (G) • Yes, proposed as part of the development (G) • No, but an adjoining settlement does (A) • Other catchment school available (A) 	A	Adjoining settlement
25d	Does the settlement have a GPs surgery or medical centre? <ul style="list-style-type: none"> • Yes, in the settlement (G) • Yes, proposed as part of the development (G) • No, but an adjoining settlement does (A) • Not in the settlement or an adjoining settlement (R) 	A	Adjoining settlement
26	What retail provision does the settlement offer? <ul style="list-style-type: none"> • Town Centre/ Supermarket (G) • Convenience Store / Post Office / Newsagent (A) • None (R) 	R	None
27	Distance to bus stops with a frequent service (at least hourly at peak times): <ul style="list-style-type: none"> • Less than 400m (G) • 400m-800m (A) • Over 800m (R) • OR submission form stated that improved public transport facilities could be provided as part of the development (G) 	G	70m
28	Distance to nearest train station: <ul style="list-style-type: none"> • Less than 800m (G) • 800m-1200m (A) • Over 1200m (R) 	R	Over 1200m
29	Is the site accessible from the existing road network?	G	High Street
School Capacity			
30	Do the local schools have capacity at all tiers?	A	New lower school planned locally, financial contributions likely to be required.
31	If not, has a commitment been made to address this?	A	Contributions to be required.

Water Utilities (Gas, Electricity and Broadband Infrastructure will be assessed at a later stage)			
32	Is there the capacity to provide all required infrastructure for waste water and potable water?	R/A/G	Water utilities companies have a statutory duty to supply water and waste water infrastructure to new development sites and a lack of available capacity does not prevent future development. Any infrastructure upgrades required will depend on the quantum and location of growth falling within each catchment area. Whilst the Stage 1 Water Cycle Study (April 2017) identifies the current capacity of existing water infrastructure, a Stage 2 study will be prepared to test the cumulative effect of sites that have been shortlisted for allocation in the Local Plan and identify the nature and timing of any upgrades required.
Drainage and Flooding (All sites subject to Sequential Test)			
33	What is the conclusion of the sequential approach to site allocations, in regards to flood risk? <ul style="list-style-type: none"> No assessment required (G) Consider Further Assessment (A) Further Assessment Required (R) 	G	Site is at limited risk of surface water flooding, assessment is unlikely to be required
Environmental Health			
34	Contamination Are there any contamination constraints on site and will there be any remediation required?	R/A/G	Awaiting comments
35	Adjoining uses Would any adjoining uses have the potential to cause conflict with the proposed use? (for example; noise and smell)	R/A/G	Awaiting comments
Environmental Constraints			
36	Landscape character What would the impacts of development be on the landscape character or setting of the area or any designated landscapes? Would there be any direct or indirect harm to the Area of Outstanding Natural Beauty or the Nature Improvement Area?	G	Scope for development as enclosed site but would need to ensure conservation of mature trees and hedges .
37	Heritage/ Archaeology What would the impacts of development be on any heritage assets and their setting? Are there any opportunities for enhancement of these assets?	A	Site has archaeological potential but this would not prevent allocation providing appropriate mitigation is undertaken.
38	Ecological Assets What would the impacts of development be on any biological, geological or ecological assets and are there any opportunities for their enhancement?	A	Adjacent traditional orchard , retain, buffer and enhance existing habitat features
39	Open space/leisure and GI assets Are there any potential conflicts with open space, leisure designations or Rights of Way? Is there capacity to provide the required levels of open space and green infrastructure?	A	Existing woodland south of site would need buffering/extending over a significant part of the proposed area.
Minerals and Waste			

40	What would the impacts of development be on safeguarded minerals and waste sites, including mineral safeguarding sites?	G	No issues
Planning History			
41	What is the sites planning history? (For example planning applications and submissions to previous Allocations Plans)		Site was put forward to the Site Allocations DPD in 2007 for the North Area and CBC Call for Sites 2015.
Does the site continue to next stage?			Yes

STAGE 2 ASSESSMENT CONCLUSION

Is the site suitable for the proposed development?

Site to be considered for further assessment.

- There are no major constraints for development on this site.
- It is considered to not have an adverse impact on the character of Sutton due to its frontage site.
- Appropriate mitigation for landscape and ecology would be required.

STAGE 3 : ACHIEVABILITY

This section assesses whether the site is Achievable in line with NPPG Guidance:

A site is considered achievable for development where there is a reasonable prospect that the particular type of development will be developed on the site at a particular point in time. This is essentially a judgement about the economic viability of the site, and the capacity of the developer to complete and let or sell the development over a certain period.

Viability

43	Referring to the Viability Assessment undertaken by consultants, is the probability of the site being viable high, medium or low? <ul style="list-style-type: none"> • High (G) Benchmark land value comfortably exceeded by likely residual value • Low (A) Marginal viability, with likely residual land value close to benchmark land value • Very Low (R) Likely residual value well below benchmark land value 	G	The Council's Residential Development Viability Report (Feb 2017) indicates that residual value of development in this value area and at this scale would exceed both the upper and lower benchmark land values and as such the report indicates that such development would likely be viable.
----	--	---	--

Achievability

44	Are there any market factors which would affect deliverability?		The Council's Residential Development Viability Report (Feb 2017) is based upon residential property figures between 2013 and 2016. The housing market within Central Bedfordshire has seen significant increases in residential property values in a relatively short period of time, whereby it is considered that the viability of developments within this report has been cautious. For example in 2016 Dunstable has benefited from a 17.9% housing price increase with an average annual house price increase in 2016 for housing within Central Bedfordshire of 10.74%.
----	---	--	---

			<p>This increase in property value has been a result of not only national trends in house prices and existing transport links to economically successful areas but also significant infrastructure projects within the pipeline including: East-West Rail; M1-A5 link road; A421 upgrades; Oxford to Cambridge Express Way; Luton and Dunstable Guided Busway; M1 improvements; and potential A1 improvements. It is considered that as such infrastructure projects progress that property prices within the Local Authority will likely continue to increase which has and will increase viability/deliverability of development not only in the higher value areas but also the lower value areas of the Authority.</p>
45	<p>When can the scheme realistically commence delivery?</p> <ul style="list-style-type: none"> • 0 to 5 years (deliverable) • 6 to 10 years • 11 to 15 years • 15 to 20 years • Outside Plan Period 		0 to 5 years
46	<p>What is the indicative build out time of the site?</p>		<p>The Case Study Sites outlined within the Council's Residential Development Viability Report (Feb 2017) indicates that after the site has received detailed planning permission a single housebuilder would likely take one year to build out this site.</p>
Does the site pass this stage?			Yes

SUMMARY

The sites that pass through this assessment process will not automatically be allocated for development in the Local Plan.

Sites will be selected with reference to a number of other factors including:

- The strategy, vision and objectives proposed in the draft plan
- Technical evidence studies
- The sustainability appraisal process
- The results of public consultation
- Flood Risk Sequential Approach
- Further transport modelling
- Consultation with neighbouring authorities

Site Assessment Framework for HOUSING⁷

Site details	
Reference Number	NLP340
Site Name	Land at Rose Villas
Site Address	Land at Rose Villas, Biggleswade Road
Settlement	Within Sutton Parish
Size	Submitted Developable Area: 2.7ha Submitted Whole Site Area: 5.2ha Measured GIS Area: 5.13ha
Proposed Use	Residential
Any other information	

STAGE 1 : SUITABILITY AND AVAILABILITY (EXCLUSIONARY STAGE)

This section will exclude any sites which do not pass the exclusionary suitability criteria and they will not be assessed further.

STAGE 1A ASSESSMENT

This stage of the assessment rules out sites that are too small or conflict with national policy designations.

Provisional Site Capacity

1	Is the site likely to accommodate less than 10 dwellings? Work out the number of new homes from site size using density of 30dph and exclude up to 40 % depending on site size of land for infrastructure and services, take into account topography or significant areas of undevelopable land. Site Size Gross to net ratio standards <ul style="list-style-type: none"> • Up to 0.4 hectare 100% • 0.4 to 2 hectares 80% • 2 hectares or above 60% <i>Note: for this calculation use the submitted Developable Area, or the area measured in GIS if this is smaller.</i>	No	Number of proposed dwellings as per proforma: 60-80
			Number of proposed dwellings as per CBC methodology: 81

Flood Risk (All sites which reach Stage 2 will be subject to the Sequential Test)

2	Is more than 50% of the site located in Flood Zone 2 or 3?	Yes	More than 50% of site within flood zone 2 and 3.
3	Is more than 50% of the site at risk from surface water flooding?	Yes	Site at risk from surface water flooding.

Nationally significant designations (All sites which reach Stage 2 be subject to detailed assessment)

4	Is more than 50% of the site covered by nationally significant designations? These are: Sites of Special Scientific Interest, National Nature Reserves, Scheduled Monuments, Registered Parks and Gardens.	No	There are no nationally significant designations within the site.
5	Is more than 50% of the site located within the Area of Outstanding Natural Beauty?	No	Site not within the AONB
Does the site continue to next stage?			No

⁷ Employment sites and Gypsy and Traveller sites will be assessed using separate bespoke site assessment criteria.



**Central
Bedfordshire**

A great place to live and work

DRAFT