


The Areas Susceptible to Groundwater Flooding (AStGWF) is a strategic scale map showing groundwater flood areas on a 1km square grid. The data was produced to annotate indicative Flood Risk Areas for Preliminary Flood Risk Assessment (PFRA) studies and allow the Lead Local Flood Authorities (LLFAs) to determine whether there may be a risk of flooding from groundwater.

This data shows the proportion of each 1km grid square where geological and hydrogeological condition show that groundwater might emerge. It does not show the likelihood of groundwater flooding occurring. It does not take account of the chance of flooding from groundwater rebound. This dataset covers a large area of land, and only isolated locations within the overall susceptible area are actually likely to suffer the consequences of groundwater flooding.

The AStGWF data should be used only in combination with other information, for example local data or historic data. It should not be used as sole evidence for any specific flood risk management, land use planning or other decisions at any scale. However, the data can help to identify areas for assessment at a local scale where finer resolution datasets exist.



Legend

Central Bedfordshire Council Boundary

Areas Susceptible to Groundwater Flooding

Classification

≥ 75%

≥ 50% <75%

≥ 25% < 50%

Note: Absence of values for any grid square means that no part of that square is identified as being susceptible to groundwater emerge

0		0.35	0.7	1.4	2.1 km
F	REF	Date		Comments	
	Α	July	16	Draft v.1.0	
	В				
	С				

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf ofthe Controller of Her Majesty's Stationary Office.© Crown Copyright and database right 2016. Ordnance Survey 100049029.


Central Bedfordshire Council

CENTRAL BEDFORDSHIRE COUNCIL SFRA APPENDIX E **GROUNDWATER FLOOD MAPS**

Index Number: CBC_SFRA_7








The Areas Susceptible to Groundwater Flooding (AStGWF) is a strategic scale map showing groundwater flood areas on a 1km square grid. The data was produced to annotate indicative Flood Risk Areas for Preliminary Flood Risk Assessment (PFRA) studies and allow the Lead Local Flood Authorities (LLFAs) to determine whether there may be a risk of flooding from groundwater.

This data shows the proportion of each 1km grid square where geological and hydrogeological condition show that groundwater might emerge. It does not show the likelihood of groundwater flooding occurring. It does not take account of the chance of flooding from groundwater rebound. This dataset covers a large area of land, and only isolated locations within the overall susceptible area are actually likely to suffer the consequences of groundwater flooding.

The AStGWF data should be used only in combination with other information, for example local data or historic data. It should not be used as sole evidence for any specific flood risk management, land use planning or other decisions at any scale. However, the data can help to identify areas for assessment at a local scale where finer



Areas Susceptible to Groundwater Flooding

Note: Absence of values for any grid square means that no part of that square is


Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf ofthe Controller of Her Majesty's Stationary Office.© Crown Copyright and database right 2016. Ordnance Survey 100049029.

Central Bedfordshire Council

CENTRAL BEDFORDSHIRE COUNCIL SFRA

Index Number: CBC_SFRA_8






The Areas Susceptible to Groundwater Flooding (AStGWF) is a strategic scale map showing groundwater flood areas on a 1km square grid. The data was produced to annotate indicative Flood Risk Areas for Preliminary Flood Risk Assessment (PFRA) studies and allow the Lead Local Flood Authorities (LLFAs) to determine whether there may be a risk of flooding from groundwater.

This data shows the proportion of each 1km grid square where geological and hydrogeological condition show that groundwater might emerge. It does not show the likelihood of groundwater flooding occurring. It does not take account of the chance of flooding from groundwater rebound. This dataset covers a large area of land, and only isolated locations within the overall susceptible area are actually likely to suffer the consequences of groundwater flooding.

The AStGWF data should be used only in combination with other information, for example local data or historic data. It should not be used as sole evidence for any specific flood risk management, land use planning or other decisions at any scale. However, the data can help to identify areas for assessment at a local scale where finer resolution datasets exist.



Legend



Central Bedfordshire Council Boundary

Areas Susceptible to Groundwater Flooding

Classification

≥ 75%

≥ 50% <75%

≥ 25% < 50%

Note: Absence of values for any grid square means that no part of that square is

0	0.35	0.7	1.4	2.1
				km
REF	Da	te	Comments	
Α	July	16	Draft v.1.0	
В				
С				

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf ofthe Controller of Her Majesty's Stationary Office.© Crown Copyright and database right 2016. Ordnance Survey 100049029.


Central Bedfordshire Council

CENTRAL BEDFORDSHIRE COUNCIL SFRA APPENDIX E **GROUNDWATER FLOOD MAPS**

Index Number: CBC_SFRA_9








The Areas Susceptible to Groundwater Flooding (AStGWF) is a strategic scale map showing groundwater flood areas on a 1km square grid. The data was produced to annotate indicative Flood Risk Areas for Preliminary Flood Risk Assessment (PFRA) studies and allow the Lead Local Flood Authorities (LLFAs) to determine whether there may be a risk of flooding from groundwater.

This data shows the proportion of each 1km grid square where geological and hydrogeological condition show that groundwater might emerge. It does not show the likelihood of groundwater flooding occurring. It does not take account of the chance of flooding from groundwater rebound. This dataset covers a large area of land, and only isolated locations within the overall susceptible area are actually likely to suffer the consequences of groundwater flooding.

The AStGWF data should be used only in combination with other information, for example local data or historic data. It should not be used as sole evidence for any specific flood risk management, land use planning or other decisions at any scale. However, the data can help to identify areas for assessment at a local scale where finer resolution datasets exist.



Legend

Central Bedfordshire Council Boundary

Areas Susceptible to Groundwater Flooding

Classification

≥ 75%

≥ 50% <75% ≥ 25% < 50%

Note: Absence of values for any grid square means that no part of that square is identified as being susceptible to groundwater emergence.

0. 0.35 0.7 1.4

0	0.35	0.7	1.4	2.1
				km
REF	Date		Comments	
Α	July 16	Dr	aft v.1.0	
В				
С				

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf ofthe Controller of Her Majesty's Stationary Office.© Crown Copyright and database right 2016. Ordnance Survey 100049029.


Central Bedfordshire Council


CENTRAL BEDFORDSHIRE COUNCIL SFRA APPENDIX E **GROUNDWATER FLOOD MAPS**

Index Number: CBC_SFRA_10










The Areas Susceptible to Groundwater Flooding (AStGWF) is a strategic scale map showing groundwater flood areas on a 1km square grid. The data was produced to annotate indicative Flood Risk Areas for Preliminary Flood Risk Assessment (PFRA) studies and allow the Lead Local Flood Authorities (LLFAs) to determine whether there may be a risk of flooding from groundwater.

This data shows the proportion of each 1km grid square where geological and hydrogeological condition show that groundwater might emerge. It does not show the likelihood of groundwater flooding occurring. It does not take account of the chance of flooding from groundwater rebound. This dataset covers a large area of land, and only isolated locations within the overall susceptible area are actually likely to suffer the consequences of groundwater flooding.

The AStGWF data should be used only in combination with other information, for example local data or historic data. It should not be used as sole evidence for any specific flood risk management, land use planning or other decisions at any scale. However, the data can help to identify areas for assessment at a local scale where finer resolution datasets exist.



Legend

Central Bedfordshire Council Boundary

Areas Susceptible to Groundwater Flooding

Classification

≥ 75%

≥ 50% <75%

≥ 25% < 50%

Note: Absence of values for any grid square means that no part of that square is identified as being susceptible to groundwater emergence.

0	0.35	0.7	1.4	2.1
				km
REF	Da	ite	Comments	
Α	July	16	Draft v.1.0	
В				
С				

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf ofthe Controller of Her Majesty's Stationary Office.© Crown Copyright and database right 2016. Ordnance Survey 100049029.

Central Bedfordshire Council

CENTRAL BEDFORDSHIRE COUNCIL SFRA APPENDIX E **GROUNDWATER FLOOD MAPS**

Index Number: CBC_SFRA_12



